


Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters multiply by 3.048  
To convert meters to feet multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide



Mapped, edited, and published by the Geological Survey and the National Ocean Survey, in cooperation with the State of Georgia agencies  
Control by USGS, NOS/NOAA, and Georgia Geodetic Survey  
Orthophotomap prepared by the Geological Survey from aerial photographs taken April 18, 1974. Topography by photogrammetric methods from aerial photographs taken 1974. Field checked 1975. Map edited 1978  
Supersedes topographic map dated 1955  
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys  
Soundings compiled from NOS 11512  
This information is not intended for navigational purposes  
Mean low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated photography dated 1971, 1974, 1975. Apparent shoreline (outer edge of vegetation) shown by photomagnery  
Projection: South Carolina coordinate system (Lambert conformal conic)  
10,000-foot grid ticks based on South Carolina coordinate system, south zone, and Georgia coordinate system, east zone  
1000-meter Universal Transverse Mercator grid, zone 17. 1927 North American datum  
Georgia-South Carolina boundary in dispute, not shown  
There may be private inholdings within the boundaries of the National or State reservations shown on this map

UTM GRID AND 1978 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-5549	1934	1:10,000	03-05
H-5550	1934	1:10,000	01-06
H-5574a	1934	1:10,000	01-06
H-5592	1934	1:10,000	05-15
H-5599	1934	1:20,000	02-11
H-9459	1974	1:10,000	03-07


To place on the predicted North American Datum 1983 move the projection lines 17 meter south and 17 meters west as shown by dashed corner ticks

SCALE 1:24 000

CONTOUR INTERVAL 1.5 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS—SOUNDINGS IN METERS  
DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.1 METERS

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Trails
- Interstate Route
- U. S. Route
- State Route
- Light-duty road, hard or improved surface
- Unimproved road

FORT PULASKI, GA.—S. C.  
32080-A8-OM-024  
1978  
DMA 8448 III SW—SERIES V8460

USGS NMD HISTORICAL MAP  
SEP 05 1989  
REC'D FILE COPY