

47°15' SW
(LIMERICK NW)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



STATE OF GEORGIA
DEPARTMENT OF NATURAL RESOURCES
GEOLOGIC AND WATER RESOURCES DIVISION

LIMERICK SE QUADRANGLE
GEORGIA
7.5 MINUTE SERIES ORTHOPHOTOMAP
(TOPOGRAPHIC-BATHYMETRIC)

47°15' NE
(BURNING WOODS)




CONVERSION
SCALES




Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters
multiply by .3048
To convert meters to feet
multiply by 3.2808




Maped, edited, and published by the Geological Survey
and the National Ocean Survey
Control by USGS and NOS/NOAA
Orthophotomap prepared by the Geological Survey from
aerial photograph taken April 18, 1974. Topography by
photogrammetric methods from aerial photographs taken
1974. Field checked 1975. Map edited 1979
Supersedes Army Map Service topographic map dated 1958
Bathymetry compiled by the National Ocean Survey from
tide-coordinated hydrographic surveys
Soundings compiled from NOS 11509 and 11511
This information is not intended for navigational purposes
Mean low water (dotted) line and mean high water (solid)
line compiled by NOS from tide-coordinated aerial photographs
Apparent shoreline (outer edge of vegetation) shown
by photomontage
Projection and 10,000-foot grid ticks: Georgia coordinate
system, east zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 17
1927 North American datum
To place on the predicted North American Datum 1983
move the projection lines 18 meters south and
17 meters west as shown by dashed corner ticks



Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-5573a	1934	1:10,000	02-04



CONTOUR INTERVAL 1.5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY
0.5 METER CONTOURS-SOUNDINGS IN METERS
DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.3 METERS
BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC
ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
FOR SALE BY THE GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Trails
Interstate Route
U. S. Route
State Route
Light-duty road, hard or improved surface
Unimproved road

USGS
Historical File
Topographic Division

LIMERICK SE, GA.
SE/4 LIMERICK 15' QUADRANGLE
N3145-W8115/7.5
1979
DMA 4747 IV SE-SERIES Y8450

OCT 15 1979
2000