



Produced by the United States Geological Survey  
Topography compiled 1959. Planimetry derived from imagery taken 1959 and other sources. Survey control current as of 1991. Boundaries current as of 2002.  
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid. Universal Transverse Mercator, zone 16. 10 000-foot ticks: Georgia Coordinate System of 1983 (west zone).  
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.  
Houses of worship, schools, and other labeled buildings verified 1991.



CONTOUR INTERVAL 20 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
(THE DIFFERENCE BETWEEN THE NORTH AMERICAN VERTICAL DATUM OF 1929 AND THE NORTH AMERICAN VERTICAL DATUM OF 1983 IS MINIMAL)  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Primary highway hard surface .....	Light-duty road, hard or improved surface .....
Secondary highway hard surface .....	Unimproved road .....
Interstate Route	U.S. Route
	State Route

1	2	3	1 Duluth
			2 Suwanee
			3 Hog Mountain
4	5	4 Norcross	
			5 Lawrenceville
			6 Stone Mountain
6	7	8	7 Snellville
			8 Loganville

2003 LUXOMNI, GA  
1999  
NIMA 4151 I NE-SERIES V845

