

Mapped by the Army Map Service  
Edited and published by the Geological Survey  
Control by USC&GS, USED, USGS, AMS, and  
Georgia Geodetic Survey


Topography from aerial photographs by multiplex methods  
Aerial photographs taken 1947. Field check 1948  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Georgia coordinate system,  
east zone

No distinction is made between dwellings, barns,  
commercial and industrial buildings

Red tint indicates area in which only  
landmark buildings are shown

Unchecked elevations are shown in brown

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION, 1948



CONTOUR INTERVAL 10 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty LANE LANE Improved dirt LANE LANE  
Medium-duty LANE LANE Unimproved dirt LANE LANE  
Loose-surface, graded, or narrow hard-surface LANE LANE  
U. S. Route State Route

U.S.G.S.  
FILE COPY  
Transverse and Editing

WAYNESBORO, GA.  
SE/4 GOUGH 15' QUADRANGLE  
N3300-W8200/7.5

EDITION OF 1950

SEP 7 1950