



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and Hawaii State Survey
Topography by planetable surveys 1930 and by photogrammetric methods
Aerial photographs taken 1952. Field check 1953. Revised 1960
Selected hydrographic data compiled from USC&GS Chart 4110 (1960)
and hydrographic surveys (1924). This information is not intended for
navigational purposes.
Polyconic projection. Old Hawaiian datum
10,000-foot grid based on Hawaiian coordinate system, zone 3
1000-meter Universal Transverse Mercator grid ticks
zone 4, shown in blue
Red tint indicates areas in which only landmark buildings are shown

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1960

SCALE 1:24,000
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 KILOMETER
CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty - - - - -
Medium-duty ——— Unimproved dirt - - - - -
○ State Route
Map of the Island of Oahu, scale 1:62500
from an earlier survey is available
USGS U.S.G.S.
Historical File
TOPOGRAPHIC DIVISION
HALEIWA, HAWAII
N2130—W15801.5/7.5
1960

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST