




SCALE 1:24 000



CONTOUR INTERVAL 40 FEET SUPPLEMENTARY CONTOUR INTERVAL 20 FEET DATUM IS MEAN SEA LEVEL TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048 THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Produced by the United States Geological Survey in cooperation with National Imagery and Mapping Agency. Topography compiled 1954. Planimetry derived from imagery taken 1996. Survey control current as of 1959. North American Datum of 1983 (NAD 83). Projection and 10 000-foot ticks: Hawaii Coordinate System of 1983 (zone 1) Old Hawaiian Datum is shown by dashed corner ticks. The values of the shift between Old Hawaiian Datum and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NAICON software. There may be private inholdings within the boundaries of the National or State reservations shown on this map.





Table with 3 columns and 3 rows showing quad numbers and names: 1 Anaeohomalu, 2 Puu Hinal, 3 Puu Hinal, 4 Makalawena, 5 Puu Anahole, 6 Keahole Point, 7 Kailua, 8 Haalalai.

ROAD CLASSIFICATION: Primary highway, hard surface; Light-duty road, hard or improved surface; Secondary highway, hard surface; Unimproved road.

RECEIVED DEC 31 1998 USGS NIMD HISTORICAL MAP ARCHIVES

KIHOLO, HI 1996 NIMA 5817 III NW-SERIES W833

