Control by USGS, NOS/NOAA, and Hawaii State Survey

Selected hydrographic data compiled from NOS charts This information is not intended for navigational purposes

Universal Transverse Mercator projection. Old Hawaiian datum

100,000-foot grid based on Hawaiian Islands coordinate system,

GRID ZONE DESIGNATION: TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METRES 30 Kilometres 5Q 100,000 M. SQUARE IDENTIFICATION 15 Nautical Miles 1. Read letters identifying 100,000 metre square in which the point lies:
2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself:
Estimate tenths from grid line to point:
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself:
Estimate tenths from grid line to point: KC LC CONTOUR INTERVAL 200 FEET 4Q 5Q HG JB TRANSVERSE MERCATOR PROJECTION HAWAIIAN KB CIFIC ISLANDS BLACK NUMBERED LINES INDICATE THE 10,000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONES 4 AND 5, INTERNATIONAL SPHEROID MAGNETIC DECLINATION FOR 1975 IS 11° (200 MILS) EASTERLY FOR THE ENTIRE AREA FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 any grid number; these are for finding the full coordinates. Use ONLY the LARGER figure of the grid number; example: 2100000 Estimate tenths from the sample of the grid number of the sample of the grid number. If reporting beyond 18° in any direction, prefix Grid Zone Designation, as: HAWAII, HAWAII 1975 USGS NOV 2 1 1977 Historical File