

Prepared by the Army Map Service (ASSX), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1955 by photogrammetric methods and from USGS quadrangles, 1:24,000, 1:62,500, 1:125,000, 1899-1951. Planimetric detail revised by photo-planimetric methods. Horizontal and vertical control by USGS, USC&GS, and USCE. Photography field anno-

100,000-foot grids based on Wyoming coordinate system, west zone, and Idaho coordinate system, east zone

10,000-meter Universal Transverse Mercator grid ticks, zone 12, shown in blue



_____ Seaplane anchorage__

Park or reservation _____ Woods-brushwood_

Intermittent or dry stream_ ~...

CONTOUR INTERVAL 200 FEET TRANSVERSE MERCATOR PROJECTION

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242

NK 11-6 NK 12-4 NK 12-5 NK 12-6 NK 13-4 NEVADA UTAH DRIGHAM NK 11-9 NK 12-7 OGDEN NK 12-9 NK 13-7 1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 17°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 16°45' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°03' WESTERLY.

A. Large scale topographic maps, controlled ground survey and photogrammetric survey, 1948-51.

B. Large scale topographic maps, photogrammetric survey, 1951.

C. Large scale topographic maps, controlled ground survey, 1915-43.

D. Medium scale topographic maps, controlled ground survey, 1899-1932.

Stereo-compiled from 1954 aerial photography.

Planimetry revised from 1954 aerial photography.

Historical File

17 16 15 14 13 9 20 21 22 23 24 13675 0 29 28 27 26 25 31 32 33 34 35 36

DRIGGS, IDAHO; WYOMING LIMITED REVISION 1962