

Prepared by the Defense Mapping Agency Topographic Center, Washington, D. C. Compiled in 1956 by photogrammetric methods and from USGS quadrangles, 1:250,000-scale maps dated 1938. Photography field annotated 1955. Revised by the U. S. Geological Survey from aerial photographs taken 1975 and other source data. Revised information not field checked. Map edited 1979.

100,000-foot grids based on Oregon coordinate system, north zone and Idaho coordinate system, west zone.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or impr. surface
Fair or dry weather, unimproved surface
Trail
Interchange
Grand Coulee
Sun Valley

RAILROADS

Standard gauge
Narrow gauge
Landing area
Seaplane airport
Seaplane anchorage
Park or reservation

BOUNDARIES

International
State
County
Park or reservation

Other

Mine
Landmark: School, Church, Other
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles


CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 11

1979 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 20° (360 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE OF THE CENTER OF THE WEST EDGE TO 19° (350 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092



SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

GRID ZONE DESIGNATION

11T

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT	INMAMA	NA
MA	NA	NA
MV	NV	500

IGNORE THE SMALLER figures of any grid number, these are for entering the coordinates on the ONLY the LARGER figure of the grid number.

EXAMPLE: 500000

1 Read letters identifying 100,000 meter square in which the point lies

2 Locate first HORIZONTAL grid line to the left of the point and read LARGE figure labeling the line nearest to the line or within margin, or on the line itself

3 Locate first VERTICAL grid line to the right of the point and read LARGE figure labeling the line nearest to the line or within margin, or on the line itself

4 Estimate tenths from grid line to point

SAMPLE REFERENCE: NA1363

If reporting beyond 10" in any direction, prefix Grid Zone Designation, ex.

USGS
Historical File
Topographic Division



USGS
Historical File
Topographic Division

15,640