



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, USFS, and USBPR
Topography from aerial photographs by multicolor methods,
and by plane-table surveys 1951. Aerial photographs taken 1946
Hydrography of Pend Oreille Lake from USC&GS chart No. 6170
Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone
Blue hatching indicates area to be submerged after completion of
Abner Falls Dam. Spillway elevation 2062 feet.
Dashed land lines indicate approximate locations
Unchecked elevations are shown in brown
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES IN FEET-DATUM IS LAKE ELEVATION 2048 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty	4 LANE 6 LANE	Light-duty
Medium-duty	4 LANE 6 LANE	Unimproved dirt
U.S. Route		State Route

UTM GRID AND 1951 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
CLARK FORK 10 MI. INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1977
THOMPSON FALLS (MONT.) 70 MI. 555000m E

ELMIRA, IDAHO
N4815-W11615/15
1951
AMS 2780 IV-SERIES V793