

UTM GRID DECLINATION...... 2002 MAGNETIC NORTH DECLINATION......1°18' WEST1°00' WEST PROVISIONAL MAP North American Datum of 1983 (NAD 83) is shown by dashed Produced from original corner ticks. The values of the shift between NAD 27 and NAD 83 manuscript drawings. Inforfor 7.5-minute intersections are obtainable from National mation shown as of date of Geodetic Survey NADCON software Hydrography compiled from information furnished by field check. Illinois Department of Energy and Natural Resources

CONTOUR INTERVAL 3 METERS SUPPLEMENTARY CONTOUR INTERVAL 1.5 METERS CONTROL AND FIELD ESTABLISHED ELEVATIONS SHOWN TO THE NEAREST 0.1 METER OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER To convert meters to feet multiply by 3.2808 To convert feet to meters multiply by .3048 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 AND ILLINOIS GEOLOGICAL SURVEY, CHAMPAIGN, ILLINOIS 61820

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



6

E-54979704-0 M821