

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS



Topography by photogrammetric methods from aerial
photographs taken 1966 and planetable surveys 1967

Polyconic projection. 1927 North American datum
10,000-foot grids based on Iowa coordinate system,
north and south zones, and Illinois coordinate system,
west zone

1,000-meter Universal Transverse Mercator grid ticks,
zone 15, shown in blue


The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5-minute intersections
is given in USGS Bulletin 1875. The NAD 83 is shown by
dashed corner ticks

Map photoinspected 1990
No major culture or drainage changes observed



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY THE U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
STATE GEOLOGICAL SURVEY, CHAMPAIGN, ILLINOIS 61820
AND IOWA GEOLOGICAL SURVEY, IOWA CITY, IOWA 52240
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty Light-duty
Medium-duty Unimproved dirt
U.S. Route State Route

SAVANNA, ILL.-IOWA
SW4 SAVANNA 15' QUADRANGLE
42090-A2-TF-024

1967
PHOTOINSPECTED 1990
DMA 7968 II SW-SERIES V476

