




V501, EDITION 3

Prepared by the U.S. Army Topographic Command (KCSX), Washington, D.C. Compiled in 1957 by photogrammetric methods and from United States quadrangles, 1:25,000, 1:48,000, 1:50,000, and 1:62,500, 1911-57. Planimetry revised from aerial photographs taken 1956. Map field checked 1958. Revised in 1971 by the U.S. Geological Survey from aerial photographs taken 1966-1968.  
Area covered by dashed light-blue pattern is subject to controlled inundation.  
Area covered by light-blue hatching is to be submerged.  
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars




Scale 1:250,000  
0 5 10 15 20 Statute Miles  
0 5 10 15 20 Kilometers  
0 5 10 15 Nautical Miles


CONTOUR INTERVAL 50 FEET  
WITH SUPPLEMENTARY CONTOUR AT 25 FOOT INTERVALS  
TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 16  
1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 31° (60 MILES) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 15° (30 MILES) EASTERLY FOR THE CENTER OF THE EAST EDGE  
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20544

LOCATION DIAGRAM



SECTIONIZED TOWNSHIP



USGS  
Historical File  
Topographic Division

PEORIA, ILLINOIS  
1958  
REVISED 1971

STOCK NO. V501XNK1610\*03