



C. H. Birdseye, Chief Topographic Engineer.
W. H. Herron, Division Topographic Engineer.
Topography by Gilbert Young, J. A. Duck,
W. L. Miller, W. B. Brewer, and F. W. Cook.
Control by U. S. Coast and Geodetic Survey,
F. J. McMaugh, L. E. Tucker, J. R. Ellis,
P. W. McMillen, J. H. Wilson, R. G. Clinite,
H. S. Senseney, and Crawford Dickey.
Surveyed in 1919 and 1921.
Culture revised in part, 1941.

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1941

SCALE 1:62500
ANNA (JUNC. U.S. 51) 8 MI.
CAIRO 45 MI.
CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL

USGS
Historical File
Topographic Division

Polyconic projection. 300000 FEET EAST R. 2 E. 89° 00'
10000 foot grids based on Illinois (West) and
Illinois (East) rectangular coordinate system
To place on 1927 North American datum move
projection lines 70' north and 15' east
ILL.
CARBONDALE
N 3730 - W 8900/15
1941

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty — 4 LANE 16 LANE Light-duty —
Medium-duty — 4 LANE 16 LANE Unimproved dirt —
U. S. Route State Route

AUG 5 1955
1990