



Topography by H.E. Simmons and H.P. Jones  
Control by U.S. Geological Survey and  
Corps of Engineers, U.S. Army  
Surveyed in 1927  
Culture revised in part 1948

**ROAD CLASSIFICATION**  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty ——— 4 LANE 1/2 LANE Improved dirt.....  
Medium-duty ——— 4 LANE 1/2 LANE Unimproved dirt.....  
Loose-surface, graded, or narrow hard-surface — — — —  
U. S. Route      State Route

APPROXIMATE MEAN  
DECLINATION, 1948

SCALE 1:62,500  
2005000 YARDS  
3000 6000 9000 12000 15000 18000 21000 FEET  
3 6 9 12 15 18 21 KILOMETERS

Contour interval 20 feet  
Datum is mean sea level

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242  
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Polyconic projection, North American datum  
5000 yard grid based upon U.S. zone system, C

GLASFORD, ILL.

N4030-W8945/15  
1948