

taken 1950 (Kentucky) and 1956 (Indiana). Indiana topography by photogrammetric methods and planetable surveys 1957 Kentucky topography by planetable surveys 1952. Revised from aerial photographs taken 1973 and 1974. Field checked 1976. Map edited 1981 Polyconic projection. 10,000-foot grid ticks based on Indiana coordinate system, west zone, and Kentucky coordinate system, south zone 1000-meter Universal Transverse Mercator grid, zone 16 1927 North American Datum To place on the predicted North American Datum 1983 move the projection lines 3 meters south and 2 meters east as shown by dashed corner ticks The state boundary as shown represents the approximate position of the

UTM GRID AND 1981 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

The state boundary as shown represents the approximate position of the low waterline as determined from U. S. Corps of Engineers Ohio River charts, surveyed 1912–1913 and supplementary information Red tint indicates areas in which only landmark buildings are shown There may be private inholdings within the boundaries of the National or State reservations shown on this map

CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204, KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

1

