

10 000-foot ticks: Indiana coordinate system, east zone (transverse Mercator) Blue 1000-meter Universal Transverse Mercator ticks, zone 16

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software

There may be private inholdings within the boundaries of the National or State reservations shown on this map

Area covered by dashed light-blue pattern is subject to controlled inundation

UTM GRID AND 1995 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 AND INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CONTOUR INTERVAL 10 FEET DOTTED LINES REPRESENT 5-FOOT CONTOURS NATIONAL GEODETIC VERTICAL DATUM OF 1929

QUADRANGLE LOCATION Revisions shown in purple compiled in cooperation with State of Indiana agencies from imagery dated 1992 and other sources. Map edited 1995

INDIANA

Interstate Route U. S. Route State Route

MARION, IN

40085-E6-TF-024

1992

DMA 3865 II SW-SERIES V851

Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours