

Field checked 1953. Revised 1961. Topography in Indiana by photogrammetric methods from aerial photographs taken 1958. Field checked 1961
Polyconic projection. 1927 North American datum
10,000-foot grids based on Kentucky coordinate system, south zone and Indiana coordinate system, west zone
1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked
The state boundary as shown represents the approximate position of the low water line as determined from U. S. Corps of Engineers
Ohio River Charts, surveyed 1912, and supplementary information
Red tint indicates area in which only landmark buildings are shown

CONTOUR INTERVAL 10 FEET DATUM IS MEAN SEA LEVEL

0°07′ 2 MILS 2½° 44 MILS

UTM GRID AND 1961 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242, KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601

AND INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



OCT 1 6 1972

4335

m

KENTUCKY

QUADRANGLE LOCATION