





Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, USCE, and TVA
Topography from aerial photographs by photogrammetric methods. Aerial
photographs taken 1952 and 1957. Field check 1958.
Polyconic projection. 1927 North American datum
10,000-foot grids based on Kentucky coordinate system, north zone, and
Ohio coordinate system, south zone. 1000-meter Universal Transverse
Mercator grid ticks, zone 17, shown in blue.
The state boundary as shown represents the approximate position of the low
waterline as determined from U. S. Corps of Engineers Ohio River charts,
surveyed 1914, and supplementary information.
Land lines based on Ohio River Base.
Red tint indicates area in which only landmark buildings are shown.
Fine red dashed lines indicate selected fence and field lines
visible on aerial photographs. This information is unchecked.
Unchecked elevations are shown in brown.

APPROXIMATE MEAN
DECLINATION, 1958



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.,
AND KENTUCKY DEPARTMENT OF ECONOMIC DEVELOPMENT, FRANKFORT, KENTUCKY
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

ASHLAND, KY.—OHIO
NW 1/4 CERDAS 15' QUADRANGLE
N 3822.5—W 8237.5/7.5

MAP AND PHOTO LIBRARY
University of Wisconsin