




Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey  
Control by USC&GS, USGS, and TVA  
Topography by USGS and TVA by multiplex methods from aerial  
photographs taken 1948. Field examination by TVA, 1950  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Kentucky (South) and  
Tennessee rectangular coordinate systems  
--- 378 --- Indicates Kentucky Lake Easement Boundary

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION 1950



CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.  
KENTUCKY AGRICULTURE AND INDUSTRIAL DEVELOPMENT BOARD, FRANKFORT, KY.  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty LINE IS LINE Improved dirt LINE IS LINE  
Medium-duty LINE IS LINE Unimproved dirt LINE IS LINE  
Loose-surface, graded, or narrow hard-surface LINE IS LINE  
U. S. Route State Route

HAMLIN, KY-TENN.  
N3630-W8800/7.5  
1950

FEB 16 1954

2105