



Maped, edited, and published by the Geological Survey Indiana area mapped in cooperation with the State of Indiana Department of Conservation Control by USGS, USC&GS, and USCE
Topography in Kentucky and Ohio by photogrammetric methods from aerial photographs taken 1949. Field checked 1951
Topography in Indiana by planimetric surveys 1941. Revised 1961
Polyconic projection. 1927 North American datum
10,000-foot grids based on Kentucky coordinate system, north zone, Indiana coordinate system, east zone, and Ohio coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked
The state boundary as shown represents the approximate position of the low water line as determined from U.S. Corps of Engineers Ohio River charts, surveyed 1914, and supplementary information
Red tint indicates areas in which only landmark buildings are shown
Land lines in Ohio based on the Great Miami River Base. Dotted land lines established by private subdivision of the Symmes purchase

SCALE 1:24,000
CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL

U.S.G.S. FILE COPY TOPOGRAPHIC DIVISION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242 INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204 KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS Historical File Topographic Division

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty - - - - -
Medium-duty ——— Unimproved dirt - - - - -
U.S. Route (red circle) State Route (black circle)

LAWRENCEBURG, KY.—IND.—OHIO
SE/4 LAWRENCEBURG 15' QUADRANGLE
N 3900—W 8445/7.5
1961
AMS 4062 III SE—SERIES V 853

4690
JUN 4 1977