



Topography by C.W. Goodlove, W.R. Chenoweth, S.E. Clement, H.D. Clement, and Edgar Allen. Control in part by U.S. Coast and Geodetic Survey. Surveyed in 1921-1922.

**ROAD CLASSIFICATION**  
1963  
Heavy-duty ————  
Medium-duty ————  
Light-duty ————  
Unimproved dirt - - - - -  
U.S. Route □ State Route ○

SCALE 1:62500  
0 3000 6000 9000 12000 15000 18000 21000 FEET  
0 1 2 3 4 5 KILOMETERS  
CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL

USGS  
Historical File  
Topographic Division  
POLYCONIC PROJECTION, 1927 NORTH AMERICAN DATUM.  
10000 FOOT GRID BASED ON KENTUCKY (SOUTH) RECTANGULAR COORDINATE SYSTEM.  
1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID TICKS, ZONE 16, SHOWN IN BLUE.

THIS AREA ALSO COVERED BY 1:24000-SCALE MAPS OF MAMMOTH CAVE, RHODA, SMITHS GROVE, AND PARK CITY 7.5-MINUTE QUADRANGLES, SURVEYED 1954.

U.S.G.S. 1922  
MAMMOTH CAVE, KY.  
N 3700-W 8600/15  
SHADED RELIEF PRINTED, 1955

THIS MAP AVAILABLE WITH OR WITHOUT SHADED RELIEF OVERPRINT  
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
AND KENTUCKY DEPARTMENT OF ECONOMIC DEVELOPMENT, FRANKFORT, KENTUCKY  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

FILE COPY  
TOPOGRAPHIC DIVISION

10,570

SEP 12 1963