




CONVERSION  
SCALES




Feet Meters

1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters  
multiply by 3.048

To convert meters to feet  
multiply by 3.2808

Mapped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, Massachusetts Geodetic Survey,  
and Connecticut Geodetic Survey  
Topography by planetable surveys 1933 and 1942  
Culture revised from aerial photographs by photogrammetric  
methods. Aerial photographs taken 1957. Field check 1958  
Polyconic projection. 1927 North American datum  
10,000-foot grids based on Massachusetts coordinate system,  
mainland zone, and Connecticut coordinate system  
1000-meter Universal Transverse Mercator grid,  
zone 18  
Red tint indicates areas in which only  
landmark buildings are shown  
Revisions shown in purple compiled in cooperation with the State of  
Massachusetts agencies from aerial photographs taken 1975 and other  
source data. This information not field checked. Map edited 1979




ROAD CLASSIFICATION

Heavy-duty Light-duty  
Medium-duty Unimproved dirt

U.S. Route State Route  
Interstate Route

SPRINGFIELD SOUTH, MASS.-CONN.  
42072-A5-TF-024  
1958  
PHOTOREVISED 1979  
DMA 6468 II SE-SERIES V814



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

To place on the predicted North American Datum 1983,  
move the projection lines 5 meters south and  
38 meters west as shown by dashed corner ticks