



Mapped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, USCE, NCP, and WSSC  
Topography from aerial photographs by photogrammetric methods  
Aerial photographs taken 1955. Field check 1956  
Hydrography compiled from USC&GS chart 560 (1955)  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Maryland coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 18, shown in blue  
Fine red dashed lines indicate selected fence and field lines  
visible on aerial photographs. This information is unchecked  
Red tint indicates areas in which only  
landmark buildings are shown

APPROXIMATE MEAN  
MAGNETIC  
DECLINATION, 1956

SCALE 1:24000  
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 5 0 1 KILOMETER  
CONTOUR INTERVAL 10 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.9 FEET  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division  
MARYLAND  
QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty - - - - - Unimproved dirt - - - - -  
○ State Route

ANACOSTIA, MD.—D. C.  
N 3845—W 7652.5/7.5  
1956

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION  
DEC 5 1958

RETURN TO:  
USGS AND HISTORICAL MAP ARCHIVES