

Selected hydrographic data compiled from NOS chart 1219 (1967) and 1220 (1966). This information is not intended for navigational purposes 213 MILS

UTM GRID AND 1999 MAGNETIC NORTH

DECLINATION AT CENTER OF SHEET


20% TOTAL RECOVERED FIBER

North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 18 10 000-foot ticks: Maryland and Delaware Coordinate Systems of 1983

North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software

There may be private inholdings within the boundaries of the National or State reservations shown on this map

3000 4000 FEET CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD 29) (TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, SUBTRACT 1 FOOT) DEPTH CURVES AND SOUNDINGS IN FEET, DATUM IS MEAN LOWER LOW WATER THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE THE MEAN RANGE OF TIDE IS APPROXIMATELY 3.5 FEET TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



1997

NIMA 5960 | NE-SERIES V832

4