



Mapped by the Army Map Service  
Hydrography from USC&GS surveys  
Published for civil use by the Geological Survey  
Control by USC&GS, CE, and USGS

Topography from aerial photographs by multiplex methods  
Aerial photographs taken 1947. Field check 1949  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Maryland coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 18, shown in blue

No distinction is made between dwellings, barns,  
commercial and industrial buildings



CONTOUR INTERVAL 20 FEET

DATUM IS MEAN SEA LEVEL  
DEPTH CURVES IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 2 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled by the Geological Survey from  
aerial photographs taken 1970. This information not field checked

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty ——— 2 LANE 12 LANE Improved dirt  
Medium-duty ——— 2 LANE 12 LANE Unimproved dirt  
Loose-surface, graded, or narrow hard-surface ———

U. S. Route State Route



EDGEWOOD, MD.  
NE/4 GUNPOWDER 15 QUADRANGLE  
N3922.5—W7615/7.5

EDITION OF 1951  
PHOTO-REVISED 1970  
AMS 5762 IV NE—SERIES V833

USGS  
HISTORICAL FILE  
TOPOGRAPHIC DIVISION

3515  
FEB 7 1972