



Feet	Meters
1 3048	
2 6096	
3 9144	
4 12192	
5 15240	
6 18288	
7 21336	
8 24384	
9 27432	
10 30480	

To convert feet to meters  
multiply by .3048  
To convert meters to feet  
multiply by 3.2808

Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Orthophotomap prepared from aerial photograph taken  
April 29, 1978. Topography by photogrammetric methods  
from aerial photographs taken 1974. Field checked 1975  
Map edited 1982  
Supersedes Army Map Service Ninepin topographic map  
dated 1942  
Projection and 10,000-foot grid ticks: Maryland coordinate  
system (Lambert conformal conic)  
1000-meter Universal Transverse Mercator grid, zone 18  
1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 8 meters south and  
31 meters west as shown by dashed corner ticks



CONTOUR INTERVAL 1.5 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION	
Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Trails	
Interstate Route	U. S. Route
	State Route

NINEPIN BRANCH, MD.  
N3815 - W7515.7.5  
1982  
DMA 5960 IV SE - SERIES V8330

