



Mapped by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS, USCE, and SCS
Topography from aerial photographs by photogrammetric methods
and by planimetric surveys 1944. Planimetric detail revised from
aerial photographs taken 1955. Field check 1956
Hydrography compiled from USC&GS charts 545 (1948)
and 549 (1947)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Maryland coordinate system
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue

UTM GRID AND 1970 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET
71° 13' 13" M
0° 59' 17" M
133 MILS
17 MILS

SCALE 1:24,000
CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.9 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———

ROUND BAY, MD.
SE 1/4 RELAY 15' QUADRANGLE
N3900—W7630/7.5
1956
PHOTOREVISED 1970
AMS 5662 II SE—SERIES V833

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION