

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1969. Supersedes Army Map Service map dated 1944.


Selected hydrographic data compiled from USC&GS Charts 549 (1969) and 545 (1970).

This information is not intended for navigational purposes.

Polyconic projection. 1927 North American datum. 10,000-foot grid based on Maryland coordinate system. 1000-meter Universal Transverse Mercator grid ticks, zone 18, shown in blue.

Red tint indicates areas in which only landmark buildings are shown.

Revisions shown in purple compiled from aerial photographs taken 1974. This information not field checked.



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWS REPRESENTS THE APPROXIMATE LINE OF MEAN-HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION	
Primary highway, all weather, hard surface	Light duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather
	Slate Route

USGS HISTORICAL FILE TOPOGRAPHIC DIVISION  
SPARROWS POINT, MD.  
N3907.5—W7622.5/7.5  
1969  
PHOTOREVISED 1974  
AMS 5762 III NW—SERIES V833

DEC 11 1975