




CONVERSION SCALES

Feet	Meters
0	0
100	30.48
200	60.96
300	91.44
400	121.92
500	152.40
600	182.88
700	213.36
800	243.84
900	274.32
1000	304.80

To convert feet to meters multiply by .3048
To convert meters to feet multiply by 3.2808



Produced by the United States Geological Survey
Control by USGS and NOS/NOAA
Orthophotomap prepared from aerial photograph taken April 29, 1978. Topography by planetable surveys 1979. Field checked 1979. Map edited 1982. Supersedes Army Map Service topographic map dated 1942. Selected hydrographic data compiled from NOS chart 12264 (1980). This information is not intended for navigational purposes.
Projection and 1000-meter grid, zone 18: Universal Transverse Mercator
10,000-foot grid ticks based on Maryland coordinate system 1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 9 meters south and 28 meters west as shown by dashed corner ticks
There may be private inholdings within the boundaries of the National or State reservations shown on this map



CONTOUR INTERVAL 1 METER
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL AND OTHER ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
DEPTH CURVES AND SOUNDINGS IN METERS—DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.4 METERS

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



CONTOURS AND ELEVATIONS IN METERS

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Trails	
Interstate Route	U. S. Route
	State Route

TAYLORS ISLAND, MD.
N3822.5 - W7615/7.5

1982

DMA 5760 IV NE - SERIES V8330

APR 26 1983

2300