



CONVERSION SCALES

Feet	Meters
15000	4500
14000	4000
13000	3500
12000	3000
11000	2500
10000	2000
9000	1500
8000	1000
7000	500
6000	1000
5000	1500
4000	2000
3000	2500
2000	3000
1000	3500
500	4000
200	4500
100	5000
0	5500

To convert feet to meters multiply by .3048
To convert meters to feet multiply by 3.2808

Produced by the United States Geological Survey
Control by USGS and NOS/NOAA
Orthophotomaps prepared from aerial photograph taken April 29, 1978. Topography by planetable surveys 1979. Field checked 1979. Map edited 1982
Supersedes Army Map Service topographic map dated 1942
Selected hydrographic data compiled from NOS chart 12264 (1980)
This information is not intended for navigational purposes
Projection and 1000-meter grid, zone 18: Universal Transverse Mercator
10,000-foot grid ticks based on Maryland coordinate system 1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 9 meters south and 28 meters west as shown by dashed corner ticks
There may be private inholdings within the boundaries of the National or State reservations shown on this map



CONTOUR INTERVAL 1 METER
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL AND OTHER ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
DEPTH CURVES AND SOUNDINGS IN METERS—DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.4 METERS

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



CONTOURS AND ELEVATIONS
IN METERS


ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Trails	
Interstate Route	U. S. Route
	State Route

TAYLORS ISLAND, MD.
N3822.5-W7615/7.5

1982

DMA 5760 IV NE—SERIES V8330



APR 26 1983

2300