





V501, EDITION 4

Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1946 from United States quadrangles, 1:25,000, 1:31,680, and 1:62,500, 1937-44; US&GS Charts 1937-45. Revised by the U.S. Geological Survey 1969.

Selected hydrographic data compiled from US&GS Charts. This information is not intended for navigational purposes. 100,000-foot grid based on Maryland, Delaware, New Jersey, coordinate systems, and Virginia coordinate system, south zone. Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.



CONTOUR INTERVAL 100 FEET WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 18

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8.4° (50 MILES WESTERLY FOR THE CENTER OF THE WEST SIDE TO 10.0° (50 MILES WESTERLY FOR THE CENTER OF THE EAST SIDE)

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

