

V501, EDITION 4  
 Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1946 from United States quadrangles, 1:25,000; 1:31,680, and 1:62,500, 1937-44; USCGS Charts 1937-45. Revised by the U.S. Geological Survey 1969.  
 Selected hydrographic data compiled from USCGS Charts. This information is not intended for navigational purposes.  
 100,000-foot grids based on Maryland, Delaware, New Jersey, coordinate systems, and Virginia coordinate system, south zone.  
 Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.


**LEGEND**  
 Figures in red denote approximate distances in miles between stars.

<b>POPULATED PLACES</b>	<b>ROADS</b>	<b>RAILROADS</b>	<b>BOUNDARIES</b>
Over 500,000	Primary, all-weather, hard surface	Single track Double or Multiple	International
100,000 to 500,000	Secondary, all-weather, hard surface	Normal gauge	State
25,000 to 100,000	Light duty, all-weather, hard or improved surface	Narrow gauge	County
5,000 to 25,000	Fair or dry weather, unimproved surface	Interchange	Park or reservation
1,000 to 5,000	Trail	Bar Harbor	Spot elevation in feet
Less than 1,000	Interchange	Route markers: Interstate, U.S., State	
		Landmark: School, Church, Other	
		Landing area	
		Depth curve in feet	
		Limit of danger; Reef	
		Rocks; Wash	
		Seaplane airport	
		Seaplane anchorage	
		Power line	
		Marsh or swamp	

Scale 1:250,000  
 0 5 10 15 20 25 30 Statute Miles  
 0 5 10 15 20 25 30 Kilometers  
 0 5 10 15 Nautical Miles

**CONTOUR INTERVAL 100 FEET WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS**  
**TRANSVERSE MERCATOR PROJECTION**  
 BLACK NUMBERED LINES INDICATE THE 10,000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 18  
 1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8'15" WEST TO 8'10" WEST FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



**GRID ZONE DESIGNATION: 18S**  
**100,000 M. SQUARE IDENTIFICATION**  
 VU 17-9  
 WU 18-10

**TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS**  
**SAMPLE POINT NETWORK**  
 1. Read letters identifying 100,000 metre squares in which the point lies.  
 2. Locate first VERTICAL and line to left of point and read LARGE figure marking the line either in the top or bottom margin, or on the line itself.  
 3. Estimate tenths from grid line to point.  
 4. Locate first HORIZONTAL and line below point and read LARGE figure marking the line either in the left or right margin, or on the line itself.  
 5. Estimate tenths from grid line to point.

**SAMPLE REFERENCE:** VU 17-9  
 WU 18-10  
 If square above 18" in any direction, prefix Grid Zone Designation, as: 18S177534

**SALISBURY, MD.; DEL.; N.J.; VA.**  
 1946  
 REVISED 1969

STOCK NO. V501XNJ185\*\*04