

Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1946 from United States quadrangles, 1:25,000, 1:50,000, and 1:62,500, 1937-44; USGS Charts 1937-45; Revised by the U.S. Geological Survey 1969.

Selected hydrographic data compiled from USCGS Charts. This information is not intended for navigational purposes.

Transverse Mercator Projection, 10,000-meter Universal Transverse Mercator grid, zone 18. 100,000-foot grid ticks based on Maryland, Delaware, New Jersey, coordinate system and Virginia coordinate system, south zone, 1957 North American Datum. To place on predicted North American Datum 1983 move the projection lines 7 meters south and 32 meters west.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

LEGEND

Figures in red denote approximate distances in miles between stars.

POPULATED PLACES

Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS

Primary, all-weather, hard surface
Secondary, all-weather, hard surface
Light-duty, all-weather, hard or improved surface
Fair or dry weather, unpaved surface
Trail

RAILROADS

Normal gauge
Narrow gauge
Interchange

BOUNDARIES

International
State
County
Park or reservation

Spot elevation in feet

22'

Other

Landplane airport
Landing area
Seaplane airport
Seaplane anchorage
Power line
Woods/bushwood
Marsh or swamp

Other

Normal gauge
Narrow gauge
Interchange
Limit of danger; Reef
Rocks; Awash
Foresore flat
Intermittent or dry stream

Scale 1:250,000

0 5 10 15 20 Statute Miles


0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 100 FEET WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8°W (150 MILES) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 10°W (150 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



GRID ZONE DESIGNATION: 18S

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT NETWORK

1. Read letters identifying 100,000-meter square in which the point lies.

2. Locate first VERTICAL grid line to left of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.

3. Estimate tenths from grid line to point.

4. Locate first HORIZONTAL grid line below point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.

5. Estimate tenths from grid line to point.

EXAMPLE: 4210000

IGNORE THE SMALLER figures of any grid number; these are for finding the full coordinates of the grid number.

1946

REVISED 1969

SALISBURY, MD.; DEL.; N.J.; VA.

