



Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1946 from United States quadrangles, 1:25,000, 1:50,000, and 1:62,500, 1937-44; USCGS Charts 1937-45; Revised by the U.S. Geological Survey 1969

Selected hydrographic data compiled from USCGS Charts. This information is not intended for navigational purposes.
 Transverse Mercator Projection, 10,000-meter Universal Transverse Mercator grid, zone 18. 100,000-foot grid ticks based on Maryland, Delaware, New Jersey, coordinate system and Virginia coordinate system, south zone, 1927 North American Datum. To place on predicted North American Datum 1983 move the projection lines 7 meters south and 32 meters west.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.
 There may be private inholdings within the boundaries of the National or State reservations shown on this map.

LEGEND

Figures in red denote approximate distances in miles between stars.

POPULATED PLACES	ROADS
Over 500,000	Primary, all-weather, hard surface
100,000 to 500,000	Secondary, all-weather, hard surface
25,000 to 100,000	Light-duty, all-weather, hard or improved surface
5,000 to 25,000	Fair or dry weather, unimproved surface
1,000 to 5,000	Trail
Less than 1,000	Interchange
Normal gauge	Route markers: Interstate, U.S., State
Narrow gauge	High track Double or Multiple
BOUNDARIES	RAILROADS
International	Landplane airport
State	Seaplane airport
County	Seaplane anchorage
Park or reservation	Power line
Spot elevation in feet	Woods/bushwood
	Fishhook
	Endmark: School, Church, Other
	Depth curve in feet
	Limit of danger; Reef
	Rocks; Awash
	Foreshore flat
	Intermittent or dry stream
	Marsh or swamp

Scale 1:250,000


0 5 10 15 20 Statute Miles

0 5 10 15 20 Kilometers

CONTOUR INTERVAL 100 FEET WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8°W (150 MILES) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 10°W (190 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



GRID ZONE DESIGNATION: 18S

100,000 M. SQUARE IDENTIFICATION: VU WU

TO ONE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

SAMPLE POINT NETWORK

1. Read letters identifying 100,000 meter square in which the point lies.

2. Locate first vertical grid line to left of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.

3. Estimate tenths from grid line to point.

4. Locate first horizontal grid line below point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.

5. Estimate tenths from grid line to point.

SAMPLE REFERENCE

If mounting bracket 28" in any direction, prefix Grid Zone Designation, ex: 18S17334

SALISBURY, MD.; DEL.; N.J.; VA.

1946

REVISED 1969

U.S. GEOLOGICAL SURVEY RESTON, VIRGINIA

DEC 3 1997

9 780607 237171