


(GUNPOWDER)
1:62,500

(SPESUTIE)
1:62,500



Maped by the U. S. Coast and Geodetic Survey under the direction of the Chief of Engineers, U. S. Army, 1943. Control by the U. S. Coast and Geodetic Survey. Planimetry by U. S. C. & G. S. from 1937 and 1943 air photographs. Planimetric topography and field edit by U. S. C. & G. S., 1943. Polyconic projection, North American datum of 1927. Recoverable horizontal control stations of less than third order accuracy are shown by circles.

ROAD CLASSIFICATION 1943
Dependable hard-surface, heavy-duty road. U. S. route 74
Secondary, hard-surface, all-weather road. State route 26
Loose-surface graded, dry-weather road.
Dirt road.
More than two lanes indicated by note along road with tick at point of change 3 LANE 4 LANE
THIS MAP COMPLIES WITH THE NATIONAL STANDARD MAP ACCURACY REQUIREMENTS



CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL

ONE THOUSAND YARD GRID COMPUTED FROM "GRID SYSTEM FOR PROGRESSIVE MAPS IN THE U. S. ZONE A; U. S. C. & G. S. SPECIAL PUBLICATION NO. 59"

THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED
THE STATE GRIDS ARE INDICATED AT 10,000 FOOT INTERVALS
NOTE: OFFICERS USING THIS MAP WILL MARK HEREON CORRECTIONS AND ADDITIONS WHICH COME TO THEIR ATTENTION AND MAIL DIRECT TO "THE CHIEF OF ENGINEERS, WASHINGTON, D. C."

Use diagram only to obtain numerical values. To determine magnetic north line, connect the pivot point "P" on the south edge of the map with the value of the angle between grid and magnetic north, as plotted on the degree scale of the north edge of the map.
APPROXIMATE MEAN DECLINATION 1943
NO ANNUAL MAGNETIC CHANGE

REPRODUCED BY U. S. COAST AND GEODETIC SURVEY, AMS NO. 121016

WOODLAND CLASSIFICATION
Dense woodland
Scattered brush and trees
Marsh or swamp
Dense brush
Orchard
Low ground, intermittently flooded

HANESVILLE, MD.
N3915-W7607.5/7.5
EDITION OF 1944