



Prepared by U. S. Department of Agriculture, Soil Conservation Service,
under the direction of the Chief of Engineers, U. S. Army, 1944.
Horizontal and vertical control by U. S. C. & G. S., U. S. G. S., U. S. E. D., U. S. F. S., and S. C. S., 1943-44.
Topography by S. C. S., 1943. Aerial photography for S. C. S., 1943.
Polyconic projection, North American datum, 1927.
This map complies with the National standard map accuracy requirements.

ROAD CLASSIFICATION 1943
Dependable hard-surface, heavy-duty road
Loose-surface, graded, dry-weather road
U. S. Route
Secondary, hard-surface, all-weather road
Dirt road
State Route
More than two lanes indicated by note along road with tick at point of change
3 LANE 14 LANE

Scale 1:31,680
CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL
ONE THOUSAND YARD GRID COMPUTED FROM "GRID SYSTEM FOR PROGRESSIVE MAPS
IN THE U. S. ZONE B. U. S. C. & G. S. SPECIAL PUBLICATION NO. 59
THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OBTAINED
THE STATE GRID IS INDICATED BY DOTTED TICKS OUTSIDE THE NEAT LINE AT 500 FOOT INTERVALS
NOTE: OFFICERS USING THIS MAP WILL HAVE PERSON CORRECTIONS AND ADDITIONS WHICH COME
TO THEIR ATTENTION AND MAIL DIRECT TO THE CHIEF OF ENGINEERS, WASHINGTON, D. C.

APPROXIMATE MEAN
DECLINATION 1944
ANNUAL MAGNETIC CHANGE 30'
DECREASE

USCS
Historical File
Topographic Division

KEEDYSVILLE, MD.-W.VA.
N3922.5-W7737.5/7.5

U. S. G. S.
FILE COPY
Inspection and Editing