


Montmagny MAINE-QUEBEC


46070-E1-TM-100

1:100 000-scale metric topographic map



30 X 60 MINUTE QUADRANGLE SHOWING

- Contours and elevations
- Highways, roads and other manmade structures
- Water features
- Woodland areas
- Geographic names





Produced by the United States Geological Survey
Compiled from USGS 1:24 000-scale topographic
maps dated 1986-87. Planimetry revised from
aerial photographs taken 1989 and other source
data. Revised information not field checked. Map edited 1993
Canadian portion copied from.Department of Energy, Mines
and Resources, 1:50,000-scale topographic maps dated 1980-1983
Canadian portion of this map © by Her Majesty the Queen
in Right of Canada, and may not be reproduced or
redistributed without express consent of Energy, Mines
and Resources Canada, 4th Floor, 615 Booth Street,
Ottawa, Ontario, K1A 0E9

1927 North American Datum (NAD 27). Projection and

1927 North American Datum (NAD 27). Projection and 10 000-meter grid: Universal Transverse Mercator, zone 19 25 000-foot ticks: Maine coordinate system, east and The difference between NAD 27 and North American Datum of 1983 (NAD 83) is too small to show at this scale. The values of the shift between the datums for 7.5-minute intersections are given in USGS Bulletin 1875 CONTOUR INTERVAL 20 METERS IN UNITED STATES CONTOUR INTERVAL 25 FEET IN CANADA NATIONAL GEODETIC VERTICAL DATUM OF 1929

ELEVATIONS SHOWN TO THE NEAREST METER IN UNITED STATES ELEVATIONS SHOWN TO THE NEAREST FOOT IN CANADA THE U.S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS





Primary highway, hard surface Secondary highway, hard surface Light duty road, principal street, hard or improved surface Other road or street; trail Route marker: Interstate; U.S.; State National or State reservation boundary U.S. public lands survey: range, township; section Windmill; water well; spring Mine shaft; adit or cave; mine, quarry; gravel pit

A pamphlet describing topographic maps is available on request