




Mapped by the U.S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USGS, USC&GS (C), and
International Boundary Commission (I)
U.S. topography from aerial photographs by multiplex methods
Aerial photographs taken 1946. Field check 1949
Hydrography from surveys dated 1887 to 1949
Canadian topography from International Boundary Commission and
Canadian Department of Mines and Resources surveys dated 1913 to 1950
Polyconic projection 1927 North American datum
10,000-foot grid based on Maine coordinate system,
east zone



CONTOUR INTERVAL 20 FEET IN THE UNITED STATES AND 50 FEET IN CANADA
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 20 FEET
THE U.S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty	4 LANE 16 LANE	Light-duty
Medium-duty	4 LANE 16 LANE	Unimproved dirt
U. S. Route		State Route

DEVILS HEAD, ME.
NW/4 ROBBINSON 15' QUADRANGLE
N4507.5-W6707.5/7.5

1949

