



Mapped by the U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS (C), International Boundary Commission (I),  
Geological Survey of Canada, and USGS  
U. S. topography from aerial photographs by multiplex methods  
Aerial photographs taken 1946. Field check 1949  
Hydrography from surveys dated 1887, 1918, 1948, and 1949  
Canadian topography from International Boundary Commission and  
Canadian Department of Mines and Resources  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Maine coordinate system,  
east zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 19, shown in blue



CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 19 FEET

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty	4 LANE (6 LANE)	Light-duty
Medium-duty	4 LANE (6 LANE)	Unimproved dirt
U. S. Route		State Route

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

ROBBINSON, ME.  
SE/4 ROBBINSON 15' QUADRANGLE  
N4500-W6700/7.5  
1949  
ANS 7574 II SE—SERIES V811

1725  
FEB 14 1967