


AMS V811  
First Edition-AMS

Prepared by the Army Map Service (GE), Corps of Engineers, U.S. Army, Washington, D.C. Copied in 1952 from  
Maine, 1:24,000, USGS, Columbia Falls, 1951. Original map compiled by U.S. Coast and Geodetic Survey. Edited  
and published by U.S. Geological Survey. Topography by photogrammetric (multiplex) methods from aerial  
photographs taken 1944. Hydrography from surveys dated 1885. Horizontal and vertical control by USCGS and  
USGS. This map complies with the national standard map accuracy requirements. Map field checked, 1948.

LEGEND	
ROAD DATA 1951	
Hard surface, heavy duty road, four or more lanes wide	In developed areas, only through roads are classified
Hard surface, heavy duty road, two lanes wide	Improved light duty road, street
Hard surface, medium duty road, four or more lanes wide	Unimproved dirt road
Hard surface, medium duty road, two lanes wide	Trail
Hard surface, medium duty road, two lanes wide	Route markers: Federal, State
Buildings	Horizontal control point
School, Church	Bench mark, monument
Standard gauge railroad	Bench mark, non-monumented
Narrow gauge railroad	Spot elevation in feet: Checked; Unchecked
Railroad in street	Woods or brushwood
Carline	Vineyard; Orchard
National boundary	Intermittent lake
State boundary (with monument)	Intermittent stream; Dam
County boundary	Swamp, marsh
Town boundary	Rapids; Falls
Corporate limits	Large rapids; Large falls
Reservation boundary	




CONTOUR INTERVAL 20 FEET  
VERTICAL DATUM: SEA LEVEL DATUM OF 1929

TRANSVERSE MERCATOR PROJECTION  
HORIZONTAL DATUM: 1927 NORTH AMERICAN DATUM

HYDROGRAPHIC DATUM: SOUNDINGS IN FEET REFERRED TO MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 12 FEET  
BLACK NUMBERED LINES INDICATE THE 1,000 METER UNIVERSAL TRANSVERSE  
MERCATOR GRID, ZONE 19  
THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED


GRID ZONE DESIGNATION	
19T	TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
100,000 M. SQUARE IDENTIFICATION	SAMPLE POINT: LOOKOUT TOWER
EV FV	1. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
	Estimate tenths from grid line to point.
	2. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
	Estimate tenths from grid line to point.
	SAMPLE REFERENCE:
	If reporting beyond 100,000 meters or if sheet bases an overlapping grid, prefix 100,000 Meter Square Identification, as:
	Example: 642000
	If reporting beyond 100,000 meters in any direction, prefix Grid Zone Designation, as:
	19TV054527



APPROXIMATE MEAN DECLINATION 1953  
FOR CENTER OF SHEET  
ANNUAL MAGNETIC CHANGE 1° EASTERLY

**HISTORICAL FILES**  
(DO NOT REMOVE)

PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 6-53, 763762



**SUPERSEDED**

COLUMBIA FALLS, ME.  
WASHINGTON COUNTY