


Prepared by the Department of Mines and Technical Surveys, 1960. U.S. area from maps of the Army Map Service, Corps of Engineers, U.S. Army. Published for civil use by the Geological Survey.

100,000-foot grid based on Maine coordinate system, east zone


10,000-meter Universal Transverse Mercator grid ticks, zone 19, shown in blue

| POPULATED PLACES | | ROADS | |
|---------------------|--|---|--|
| City | | Hard surface, all weather | |
| Town | | Hard surface, all weather | |
| Settlement | | Loose surface, all weather | |
| LANDMARKS | | Loose surface, dry weather | |
| Church | | Cart track; trail | |
| School | | Route markers: Federal; State or Provincial | |
| RAILROADS | | Horizontal control point | |
| Standard gauge | | Spot elevation in feet | |
| Narrow gauge | | Marsh or swamp | |
| BOUNDARIES | | Intermittent or dry stream | |
| International | | Power line | |
| State or Province | | | |
| County or District | | | |
| Park or reservation | | | |




1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 22'34" WESTERLY FOR THE CENTER OF THE WEST EDGE TO 23'48" WESTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0'02" EASTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.



INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1963



CAMPBELLTON, N.B., CAN.; MAINE, U.S.