



Vertical coordinate markings on the left side of the map, including 4817000m N, 240000 FEET (MAINE), and 280000 FEET (N.H.).

Vertical coordinate markings on the right side of the map, including 360000 FEET (N.H.), 160000 FEET (MAINE), and 479000m N.

Topography by Roscoe Reeves, S.E. Clement, H.R. Kilmer, B.P. Taylor, G.F. Westinghouse, R.H. Yeaman, G.C. McKinnon, and T.A. Magee. Surveyed in 1933 and 1941.

Scale 1:62500. DOVER (CIVIC CENTER) 4 MI. PORTSMOUTH (CIVIC CENTER) 16 MI. 4 MILES SOUTH BERWICK 1.4 MI. DOVER, N.H. (CIVIC CENTER) 5.7 MI.

Polyconic projection. 1927 North American datum. 5000 yard grid based on U.S. zone system. A 10000 foot grids based on New Hampshire and Maine (West) rectangular coordinate systems. 1000-meter Universal Transverse Mercator grid ticks, zone 19, shown in blue.

ROAD CLASSIFICATION: Heavy-duty, Light-duty, Medium-duty, Unimproved dirt, U.S. Route, State Route.

Scale bars in feet (0 to 21000) and kilometers (0 to 5). CONTOUR INTERVAL 20 FEET. DATUM IS MEAN SEA LEVEL.

BERWICK, ME-N.H. N4315-W7045/15. 1941.

FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D.C. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST.

U.S.G.S. FILE COPY TOPOGRAPHIC DIVISION

U.S.G.S. FILE COPY TOPOGRAPHIC DIVISION

AUG - 9 1957 2130