

Mapped, edited, and published by the Geological Survey

Control by USGS and USCGS

Topography by photogrammetric methods from aerial photographs taken 1958 and planetable surveys 1961

Polyconic projection. 1927 North American Datum

10,000-foot grid based on Michigan coordinate system, south zone

1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue


To place on the predicted North American Datum 1983

move the projection lines 8 meters west as shown by dashed corner ticks

Fine dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

Map photinspected 1978

No major culture or drainage changes observed



SCALE 1:24,000

CONTOUR INTERVAL 5 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND BY THE GEOLOGICAL SURVEY DIVISION
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Heavy-duty ——— Light duty ———

Medium-duty ——— Unimproved dirt ———

○ Slate Route

BROCKWAY, MICH.

N 4300—W8245/7.5

1961

PHOTOINSPECTED 1978

DMA 4470 III SE—SERIES V862

JUL 7 1982

1700