

JUL 17 1964

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and U. S. Lake Survey


Topography by photogrammetric methods from aerial photographs taken 1959. Field checked 1963

Selected hydrographic data compiled from U. S. Lake Survey Chart 51 (1961). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum

10,000-foot grid based on Michigan coordinate system, east zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked



CONTOUR INTERVAL 10 FEET

DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 578.5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———

Medium-duty ——— Unimproved dirt ———

U. S. Route

RICHMONDVILLE, MICH.  
N4330—W8230/7.5

1963

AMS 4471 II SE—SERIES V862

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

240  
229  
2635  
495