



Mapped, edited, and published by the Geological Survey in cooperation with State of Michigan agencies
Control by USGS, USC&GS, and U. S. Lake Survey
Planimetry by photogrammetric methods from aerial photographs
Topography by planimetric surveys 1937. Revised from aerial photographs taken 1967. Field checked 1968. Canadian portion copied in part from Courtright quadrangle (1:25,000) 1963.
Surveys and Mapping Branch, Department of Energy, Mines, and Resources
Selected hydrographic data compiled from U. S. Lake Chart 43 (1966)
This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
Red tint indicates area in which only landmark buildings are shown
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

UTM GRID AND 1973 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
SCALE 1:24,000
CONTOUR INTERVAL 5 FEET IN THE UNITED STATES AND 10 FEET IN CANADA
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS RIVER SURFACE AT FOLLOWING STAGES: LAKE HURON—576.8 AND LAKE ST. CLAIR—571.7

ROAD CLASSIFICATION
Primary highway, all weather, hard surface
Secondary highway, all weather, hard surface
Light duty road, all weather, improved surface
Unimproved road, fair or dry weather
State Route
ST. CLAIR, MICH.—ONT.
N4245—W8222.5/7.5
USGS
Historical File
Topographic Division
1968
PHOTOREVISED 1973
AMS 4569 IV SW—SERIES V862

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY THE U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled from aerial photographs taken 1973. This information not field checked. Canadian portion not revised

NOV 0 1974