

Topography by planetable surveys 1940. Revised from aerial photographs taken 1966. Field checked 1967

Selected hydrographic data compiled from U.S. Lake Survey Charts 41 and 412 (1966). This information is not intended for navigational purposes

Polyconic projection. 1927 North American datum 10,000-foot grid based on Michigan coordinate system, south zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue Red tint indicates areas in which only landmark buildings are shown Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked 62 MILS 1°28' 26 MILS

UTM GRID AND 1973 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

CONTOUR INTERVAL 5 FEET U. S. Route State Route Interstate Route DATUM IS MEAN SEA LEVEL DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS RIVER SURFACE AT MICHIGA FOLLOWING STAGES: LAKE ST. CLAIR 571.7 AND LAKE ERIE 568.6 WYANDOTTE, MICH. – ONT. QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS N4207.5-W8307.5/7.5 FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092 1967 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST Revisions shown in purple compiled from aerial photographs PHOTOREVISED 1973 AMS 4368 II NW-SERIES V862 USGS taken 1973. This information not field checked Historical File Purple tint indicates extension of urban areas Z/Z1/75 Topographic Division

36555-W 150-P