


V501  
Edition 1-AMS (First Printing, 12-57)  
Prepared by the Army Map Service (LKBGN), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1955 by photogrammetric methods and from 1:50,000 and 1:63,360, Dept. of Mines and Technical Surveys, 1951, 1953. Coastal hydrography compiled from USLS charts 6 and 53, 1954-55. Horizontal and vertical control by USLS, USC&GS and CE. Photography field annotated 1954.

**LEGEND**



**ROAD DATA 1954**  
Figures in red denote approximate distances in miles between stars

POPULATED PLACES	ROADS	LANDS & LAKES
Over 500,000	Hard surface, heavy duty	More than two lanes wide
100,000 to 500,000	Two lanes wide, Federal route marker	Two lanes wide, State route marker
25,000 to 100,000	Hard surface, medium duty	More than two lanes wide
5,000 to 25,000	Improved light duty	Unimproved dirt
1,000 to 5,000	Unimproved dirt	Trail
Less than 1,000	Trail	
BOUNDARIES	Landmarks: School; Church; Other	
International	Depth gauge	
State or province	Limit of danger; Reef	
County	Rocks; Awash; Sunken	
Fair or reservation	Foreshore fit	
Horizontal control point	Intermittent or dry stream	
Spot elevation in feet	Woods-brushwood	
	Marsh or swamp	



CONTOUR INTERVAL 50 FEET  
WITH SUPPLEMENTARY CONTOURS AT 25 FEET INTERVALS  
TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17  
THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED  
1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 4°30' WESTERNLY FOR THE CENTER OF THE WEST EDGE TO 4°44' WESTERNLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°00' WESTERNLY.  
USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING OFFICER, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.



PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 12-57, 779486  
GRID ZONE DESIGNATION: 17T  
100,000 M SQUARE IDENTIFICATION  
SAMPLE POINT: ELIZABETH BAY  
TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS  
1. Read letters identifying 100,000 meter square in which the point lies.  
2. Locate first WESTING, grid line to LEFT of point and read LARGE figure labeling the line either on the top or bottom margin, or on the line itself.  
3. Estimate tenths from grid line to point.  
4. Locate first HORIZONTAL, grid line BELOW point and read LARGE figure labeling the line either on the left or right margin, or on the line itself.  
5. Estimate tenths from grid line to point.  
IF REPORTING ERROR IN ANY DIRECTION, WRITE Grid Zone Designation, e.g., 17T486875  
L17486875

SERIES V501  
SHEET NL 17-7 (41-G)  
EDITION 1-AMS

