



V501, EDITION 3
 Prepared by the U.S. Army Topographic Command (BEGN), Washington, D.C. Compiled in 1953 by photogrammetric methods from aerial photographs taken 1953 and from U.S. Lake Survey Charts, 51 and 52, 1954-55; Windsor, Ontario, Canada, 1:253,440, 1943. Photographs field annotated 1954. United States area revised in 1971 by the U.S. Geological Survey from aerial photographs taken 1968-1970.
 Selected hydrographic data compiled from USC&GS charts. This information is not intended for navigational purposes.
 Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES	ROADS	RAILROADS	BOUNDARIES	Water
Over 500,000	Primary, all-weather, hard surface	Single track, Double or Multiple track	International	Landplane airport
100,000 to 500,000	Secondary, all-weather, hard surface	Standard gauge	State or province	Landing area
25,000 to 100,000	Light-duty, all-weather, hard or improved surface	Narrow gauge	County	Seaplane airport
5,000 to 25,000	Fair or dry weather, unimproved surface	Standard gauge	Park or reservation	Seaplane anchorage
1,000 to 5,000	Trail	Standard gauge	Misc.	Power line
Less than 1,000	Interchange	Standard gauge	Spot elevation in feet	Woods brushwood
	Route markers: Interstate, U.S. State			
	Fishkill			
	Landmarks: School; Church; Other			
	Limit of danger; Reef			
	Rocks; Awash			
	Foreshore flat			
	Intermittent or dry stream			
	Marsh or swamp			



SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

GRID ZONE DESIGNATION

100,000 M. SQUARE IDENTIFICATION

KU	LU	MU
KT	LT	MT


TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: SILVERWOOD

- Read letters identifying 100,000 meter square in which the point lies.
- Locate first VERTICAL grid line to LEFT of point and read LARGE figure following the line either in the top or bottom margin, or on the line itself.
- Estimate tenths from grid line to point.
- Locate first HORIZONTAL grid line BELOW point and read LARGE figure following the line either in the left or right margin, or on the line itself.
- Estimate tenths from grid line to point.

SAMPLE REFERENCE: 171899

If meeting beyond 50' in any direction, write Grid Zone Designation, as:



U.S. Topo. 1:250,000,
 Sheet Flint, MI-ONT, 1973, c.1

FLINT, MICH., U.S.; ONTARIO, CAN.
 1954
 REVISED (U.S. AREA) 1971

