

Maped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1955. Field check 1959

Hydrography compiled from U.S. Lake Survey charts 76 and 77 (1957)

Polyconic projection. 1927 North American Datum

10,000-foot grid based on Michigan coordinate system, south zone



1000-meter Universal Transverse Mercator grid ticks,

zone 16, shown in blue

To place on the predicted North American Datum 1983

move the projection lines 2 meters north and 3 meters east

There may be private inholdings within the boundaries of
the National or State reservations shown on this map



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS 578 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
AND BY THE GEOLOGICAL SURVEY DIVISION
MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909
A FOLDER DESCRIBING TOPOGRAPHIC MAPS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———



HART, MICH.
N4330—W8615/15

1959

AMS 3771 III—SERIES V762

JUL 6 1982

2000